



SDiD-DK-1020 Development Kit

Product Data Sheet

The SDiD™ 1020 Development Kit is the essential tool to quickly and easily launch your mobile Radio Frequency Identification (RFID) or contactless applications to the market. The SDiD™ 1020 Development Kit is a complete solution which includes an SDiD™ 1020 SD Card, two RFID tags, and a Software Development Kit (SDK) with binaries, header files, drivers, demo applications and sample applications with full source code. The SDK delivers a powerful, yet straightforward Application Programming Interface (API) which greatly reduces the learning curve and simplifies the overall development process. With the SDiD™ 1020 development kit, developers can quickly familiarize themselves with RFID technologies so they can rapidly design, develop and exhibit cutting-edge contactless solutions.



Contents

SDiD™ 1020

- ISO 15693 and 14443A compliant
- Supports NXP I-CODE® and I-CODE® SLI
- Supports NXP MIFARE®
- Supports NXP MIFARE DESFire®
- Supports Texas Instrument Tag-it™ HF-1

2 NXP I-CODE® SLI Tags

- ISO 15693 compliant

Software Development Kit

- Application Programming Interface (API)
- HTML documentation
- WinCE and Palm OS® libraries and header files
- Device driver for WinCE and Palm OS®
- EPiC demo application with User Manual and setups for WinCE and Palm OS®
- Madison sample application with User Manual and full source code for WinCE and Palm OS®

Developer Support

- Full access to the SDiD™ 1020 Forum
- Limited e-mail and phone support

Features

Windows CE SDK Requirements

- Windows 2000 (SP4) or Windows XP (SP2)
- Microsoft Internet Explorer 5.0 or higher
- Microsoft ActiveSync 4.0 or higher
- Microsoft® Pocket PC 2002/2003 with SDIONow! or Windows Mobile 2003 with SDIONow! or Windows Mobile 5.0
- Microsoft® Visual Studio 2005 or Microsoft® eMbedded Visual C++ 4.0

Palm OS® SDK Requirements

- Windows 2000 (SP4) or Windows XP (SP2)
- Microsoft Internet Explorer 5.0 or higher
- Palm Desktop 4.1 or higher
- Palm OS® 4.1 or higher
- Palm OS® Developer Suite v1.1 or higher

Software Compatibility

- C++
- C#
- Visual Basic .NET